



Product Information: ATF 236.14

Description

ATF 236.14 is an ultra-high performance automatic transmission fluid, specially formulated on high quality synthetic base fluids and tailored additives, to optimise shifting performance and offer excellent frictional stability, giving extreme resistance to shudder vibration. The fluid also provides the required anti-wear protection, resistance to oxidation and foaming and excellent low temperature performance.

Applications

ATF 236.14 is intended for use in Mercedes Benz automatic transmissions and in particular the NAG2 7 speed configuration. The product is also backward compatible to MB 236.12 and may be used as a substitute in almost every application.

Performance Features

- Smooth shifting and quiet operation
- High quality synthetic base fluid
- Elimination of transmission shudder
- Excellent wear characteristics
- Protection against rust and corrosion
- Excellent oxidation resistance
- Wide temperature service range
- Resistant to foaming
- Compatibility with seal materials

Performance Levels

Suitable for use where the following performance is required:

Mercedes Benz: 236.14 (Backward compatible to 236.12)
SSANG YONG (MB Automatic transmissions)

Suitable for use in the following transmission designations:

NAG2 7-Speed, designation 722.9
5-Speed with regulated torque converter & lock-up clutch,
designation 722.6

Typical Data

Characteristic	Unit	Result
Density @ 15.6°C	kg/l	0.848
Kinematic Viscosity @ 40°C	cSt	29.6
Kinematic Viscosity @ 100°C	cSt	6.4
Viscosity Index		185
Flashpoint (Closed)	°C	200
Pour Point	°C	-51

Figures based on average production values